ESPRESSO4HOME LLC

PRODUCT CATALOG AND CONFIDENTIAL WHOLESALE PRICE LIST

January 2015

*Catalog is for your reference, but please refer to web site for full equipment specifications and information and pricing

*Prices listed are Net 30 and are subject to change without notification.

This price list supersedes all previous pricing

ascaso for coffee lovers

MACAP

VBM

ITALY ELEKTRA SINCE 1947 Italian Espresso Coffee Machines

Welcome to the Espresso 4 Home, LLC Wholesale Program!

Terms and Conditions of Sale
(this policy is effective June 18, 2011)

OVERVIEW

The use of our wholesale program and wholesale pricing confirms your binding agreement to our policies, terms, and conditions listed below and expires at 2 years after your last wholesale purchase from Espresso 4 Home.

ACCOUNT SETUP

After approval of your submitted information, you will be provided with a login/registration address.

Please register on http://www.espresso4home.com and save your username and password in a safe place. We maintain stock status on www.espresso4home.com only. Our system allows you to add different shipping addresses for your customers and keep them for shipping future orders.

ORDERING PROCESSES

We require all retailers to utilize our online ordering system at www.espresso4home.com to place orders. This not only allows faster processing and turnaround, but it also provides you with a tracking number and inventory information. Orders online by 2:00pm EST for in-stock items are usually shipped same business day. Sorry, we do not take orders for out of stock items. We will alert you via email when an item is back in stock.

Other methods of ordering (IE fax, email, checking retailer system) will incur additional charges to the order. Minimum charge is 10% for other order processing methods and is used to cover additional expenses for the services requested.

CANCELLATION POLICY

For cancellations, the retailer should email us as well as phone us as quickly as possible until someone is reached.

For orders that have a tracking number produced and/or shipped, an order can not be canceled. Refunds, less shipping costs and restocking fee, will only be provided if the customer refuses delivery and the item is returned in brand new condition in an unopened box. Espresso 4 Home, LLC reserves the right to determine the outcome of a refund, and shipping costs (both ways) will be deducted from any credit.

For orders that have NOT shipped, a 3% cancellation fee for PrePay credit card customers is deducted from the credit. For Net 30 customers, there is no cancellation fee if processed before a tracking number is produced.

COMMUNICATION POLICY

Espresso 4 Home, LLC has an online help desk mechanism for resellers in the online account. Espresso 4 Home prefers all communications for cancellations, damages, defects, and missing items/components be made through our secure help desk system. For

SHIPPING PROCESSES

Shipping days do not include Saturday, Sunday, or holidays. We also do not ship on days UPS and/or FedEx is closed. All orders must be placed by 1pm EST to be processed on the same business day. However, if you are a prepay account with credit card customer, you authorize us to charge your credit card immediately to reserve a unit for shipping on the next available business day.

If you are a new account without prepay terms, please use your actual credit card number in our online system. Use of your customer's credit card will automatically terminate your account with us. For established accounts on payment terms, your online account will be noted as such, and payments are to be made within 30 days of invoice date. Any account past due 60 days or more will have their account suspended. Any account past due 90 days or more will be suspended and subject to a 3rd party collections agency.

In Stock Items General Delivery Time: Up to 10 days.
Out of Stock Items: Up to 60 days.

AGREEMENT TO ACQUIRE RE-SELLER'S AGREEMENT FROM END USERS

It is the re-seller's responsibility to acquire your customer’s agreement on the online order or signature when ordered by phone:

a) Lack of water in the internal boiler, not just the water reservoir, can damage the heating element – these cases are not handled under warranty as this is not a defect of the machine. Customer should watch the water intake hose (where applicable) when starting for the first time to insure water is being drawn in. If not, they should stop machine immediately and call you to email us.

b) All water should be drained from internal boiler before shipping machines in freezing weather.

c) All DAMAGE claims must be reported within five (5) days of receipt/delivery and the equipment must NOT be used. Customers should not use the equipment and must keep all original packaging. Replacements for damages are charged to your account, and credit is issued upon satisfactory return of damaged shipment. Satisfactory returns must include the original accessories, original packaging, and proper packing of loose articles to avoid damage. Failure to comply will result in denial of credit to your account due to denial of payment of claim from the common carrier.

d) All Defects On Arrival (DOA) must be reported within five (5) days of receipt/delivery. Replacements for DOAs are charged to your account, and credit is issued upon satisfactory return of defective shipment. Satisfactory returns must include the original accessories, original packaging, and proper packing of loose articles to avoid damage. Failure to comply will result in denial of credit to your account.

e) All claims for missing item(s) and/or component(s) must be reported within five (5) days of receipt/delivery. Espresso 4 Home, LLC's only responsibility will be to ship the missing item or component. Missing item(s) or component(s) external to the machine are not considered a defect.

SHIPPING AND DROP SHIP FEES

We only ship to USA destinations. F.O.B. Manalapan, New Jersey.

Shipping fees plus insurance and signature required for delivery fees are additional and included in the UPS rate unless where noted. F.O.B. Manalapan, New Jersey. We do not charge drop ship fees.

Terms and conditions of wholesale sales
a) Returns accepted and refunds provided only on units deemed defective by Espresso 4 Home, LLC and reported within first 5 days of customer receipt. Non-defective, satisfactory returns subject to a 20% restocking fee for return requests within first 5 days from end user delivery date. Refunds can take up to 30 days from our receipt of return to process.). All returns must be in UNUSED condition, properly packed with all original packaging, and without damage/scratches. (revised 09/15/2011)
b) No returns/no refunds on accessories, parts, or coffees.
c) Prepayment for new accounts. Net 30 days for established whole sale accounts.
d) For Prepay credit card customers, you agree to have your credit card charged immediately upon completion of the order (this is to reserve your unit(s) purchased for shipping.
e) Customer agrees that if Espresso 4 Home issues an applicable credit to an incorrect credit card owned by the same cardholder, the customer agrees to be charged for the mistaken credit on the incorrect credit card and be credited to the correct credit card.

MAP - MINIMUM ADVERTISED PRICE

This is to maintain an image for the manufacturers' products while allowing retailers to provide crucial after-sale services to end users. Retailers are always allowed the opportunity to phone or email non-MAP quotes on a personal, direct-selling, non-automated basis. Products, by law, cannot be sold higher than MSRP unless the customer is completely aware of the MSRP. Warranties can not be extended by any dealer, and such extensions will void the first year warranty as well as terminate all wholesale purchasing privileges with Espresso 4 Home, LLC. Coupons are not allowable via email, for online (internet/web) sales, nor physical store sales. Free gifts with purchase are allowable up to 3% of MAP, the 3% value of the free gifts are calculated at the lowest selling price of the dealer, and must be sold as an available item for retail purchase. Discounts for combo espresso machine/grinder purchases (which includes other manufacturers in the package) are only allowable when the package price discount does not exceed 5% of MAP for Espresso 4 Home's products, and no Free Gift Items are offered.

Warranty

One year parts and labor warranty limited to manufacturer’s defect unless otherwise noted. Customer/retailer responsible for return shipping costs after first five (5) days after receipt/delivery. This limited warranty overrides any manufacturer warranties or warranties stated in the manufacturer's manual. For all warranty assistance, the retailer, NOT END USER, must contact Espresso 4 Home via email with customer's contact information, purchase date, model number, and detailed description of claimed problem. please understand we need this information as consumers try to acquire warranty assistance after the warranty period. Most customers do not have a receipt to make a claim.

Exclusions to limited warranty applicable to products as noted. The following exclusions, which are not limited to, include and apply to the product during the warranty period:

1. Expendable items and items whose damage occurs as a result of failure to follow instructions that come with the product,
2. Problems related to water damage, poor water quality, and scaling,
3. Products for which the applicable serial number has been removed or altered,
4. Any product that has been damaged or rendered defective as a result of accident, abuse, misuse, lack of reasonable and necessary maintenance/cleaning, neglect, faulty installation, mishandling, damage during shipment, line power surge or any external causes,
5. Operation of product outside the parameters stated in the user documentation that shipped with product,
6. Usage of parts not manufactured by original manufacturer,
7. Modification or service by anyone other than our authorized distributor or an authorized warranty provider,
8. Any acts of God, such as, but not limited to, lightening, flood, or fire,
9. The cost of installations or routine maintenance items, such as gaskets, o-rings, grinding burrs, and other normal wear and tear items,
10. Usage of product in a commercial environment/setting/purpose,
11. Warranty period is not transferable,
12. Shipping costs to ship product back to authorized warranty center provided,
13. On-site labor, and/or expedited shipping cost of parts to customer for self-repair, and
14. Products shipped or brought outside the United States of America
15, Cosmetic defects (added 09/15/2011)

VIBIEMME DOMOBAR JUNIOR

V3, manual, heat exchanger, tank, vibratory pump

List $1,899 / MAP $1,499

- 110 volts
- Heavy duty True Faema E61 group head maintains active flow of water from the group head to the heat exchanger in the boiler.
- Professional grade brass portafilters
- Boiler capacity: 1.0 liter, 100mm diameter.
- Heating Element - Brew boiler 1600 watts controlled by a pressurstat adjusted from top of machine
- Removable 2.0 liter pour-over water reservoir
- Boiler pressure gauge to indicate boiler pressure Pump pressure gauge to indicate brew pressure during espresso extraction (reading will vary while not extracting).
- Low water level light in middle indicates when water level in water reservoir in rear is low.
- Pressurstat monitors boiler pressure (which is directly related to the temperature)
- Stainless steel drip tray which can be easily (slides out with pull of handle) removed for cleaning
- Electronic water level control for internal boiler is located in lower front of machine where there is least heat build up.
- 41 watt vibratory pump ("vibe" pump) rated up to 15 bar with air valve bypass.
- Largest OPV (over pressure valve opens when too much pump pressure exists)
- Accessories: Single spout portafilter, single dose filter basket, double spout portafilter, double dose filter basket, blind filter basket, plastic coffee scoop, and a plastic tamper
- Dimensions: 9" W x 17" D x 16" H -- Depth with both wands out: 14" width -- Drip Tray: 8 3/8 W x 6 3/8 D x 2 1/4 H
- Product Safety Listing: UL Commercial for home and office use
- Electrical Power requirements: 115 volts 1600 watts, 15 amp
- Shipping weight: 62 lbs.
- Manufactured in Milan, Italy

*Catalog is for your reference only, but please refer to web site for full equipment specifications, current pricing, and information.

*Prices listed are Net 30 and are subject to change without notification. This price list supersedes all previous pricing

VIBIEMME DOMOBAR SUPER

manual, heat exchanger, tank, vibratory pump

List $2,279 / MAP $1,799

- Polished stainless steel body panels
- Small lever on side of grouphead allows user to engage/disengage pump and three-way manual solenoid valve to start/stop espresso extraction
- Manual three way valve below grouphead allows removal of portafilter handle from grouphead immediately after espresso extraction has terminated
- Insulation on inner wall between water reservoir and internal boiler
- True Faema E61 grouphead is heaviest in its class and maintains active flow of water from the grouphead to the heat exchanger in the boiler
- The heat exchanger allows you to make espresso after espresso until water reservoir is emptied
- Professional grade brass portafilters Boiler capacity: 1.8 liter copper boiler with heat exchanger for on demand steam
- Removable 2.1 liter pour-over water reservoir
- Boiler pressure gauge to indicate boiler pressure (reading will vary between .8 and 1.2 bar pressure). The setting can be varied by adjusting the full size pressurstat through the access port under the cup warmer tray on top of machine.
- Pump pressure gauge to indicate brew pressure during espresso extraction (reading will vary while not extracting)
- Multi-directional stainless steel steam wand
- Multi-directional stainless steel hot water tap Power indicator light on right side indicates when the machine is powered on.
- Heating light on left side indicates when espresso machine is heating
- Low water level light in middle indicates when water level in water reservoir in rear is low
- Three stage power switch allows user to fill internal boiler without sending power to the heating element (prevents damage upon initial start up).
- Full size Parker pressurstat (rated as one of the best boiler pressure regulators) monitors boiler pressure
- Extremely large stainless steel drip tray which can be easily (slides out with pull of handle) removed for cleaning. Grate stays on machine when pulling out drip tray so that it is one step to empty.
- 41 watt vibratory pump ("vibe" pump) rated up to 15 bar with air valve bypass
- Accessories: Single spout portafilter, single dose filter basket, double spout portafilter, double dose filter basket, blind filter basket for backflushing, plastic coffee scoop, plastic tamper.
- Dimensions: 10.6" W x 21.0" D x 16.5" H.
- Product Safety Listing: UL Commercial for home and office use
- Manufactured in Milan, Italy

*Catalog is for your reference only, but please refer to web site for full equipment specifications, current pricing, and information.

*Prices listed are Net 30 and are subject to change without notification. This price list supersedes all previous pricing

VIBIEMME DOMOBAR SUPER HX

electronic, heat exchanger, tank, vibratory pump

List $2,569 / MAP $1,999

- Polished stainless steel body panels
- Electronic measurement and dosage of water through coffee grinds - four buttons programmable by user and manual override included
- Three way electric solenoid valve below group head allows removal of portafilter handle from group head immediately after espresso extraction has terminated
- True Faema E61 group head is heaviest in its class and maintains active flow of water from the group head to the heat exchanger in the boiler
- The heat exchanger allows you to make espresso after espresso until water reservoir is emptied
- Professional grade brass portafilters
- Boiler capacity: 1.8 liter copper boiler with heat exchanger for on demand steam
- Removable 2.1 liter pour-over water reservoir
- Boiler pressure gauge to indicate boiler pressure
- Pump pressure gauge to indicate brew pressure during espresso extraction
- Low water level light in middle indicates when water level in water reservoir in rear is low
- Three stage power switch allows user to fill internal boiler without sending power to the heating element
- 41 watt vibratory pump, rated up to 15 bar with air valve bypass
- Largest OPV (over pressure valve opens when too much pump pressure exists) l
- Accessories: Single spout portafilter, single dose filter basket, double spout portafilter, double dose filter basket, blind filter basket, plastic coffee scoop, and a plastic tamper
- Dimensions: 10.6" W x 21.0" D x 16.5" H.
- Product Safety Listing: UL Commercial for home and office use

Manufactured in Milan, Italy

*Catalog is for your reference only, but please refer to web site for full equipment specifications, current pricing, and information.

*Prices listed are Net 30 and are subject to change without notification. This price list supersedes all previous pricing

VIBIEMME DOMOBAR SUPER

manual, rotary pump, direct connect or tank

Cost $1,199 / list $2,199 / MAP $1,999

Features particular to the Vibiemme Domobar Super Manual Stainless

- Use as a stand alone tank/reservoir model or make a direct connection to plumb into a water line
- Quiet rotary vane pump is larger than the vibration pump found on many home model machines
- True Faema E61 group head is heaviest in its class and maintains active flow of water from the group head to the heat exchanger in the boiler
- The heat exchanger allows you to make espresso after espresso until water reservoir is emptied
- Professional grade brass portafilters - one portafilter with single spout and single filter basket and one portafilter with dual spout and double filter basket
- Boiler capacity: 2.45 liter copper boiler with heat exchanger for on demand steam
- Removable 2.1 liter pour-over water reservoir
- Boiler pressure gauge to indicate boiler pressure
- Pump pressure gauge to indicate brew pressure during espresso extraction
- Low water level light in middle indicates when water level in water reservoir in rear is low
- Three stage power switch allows user to fill internal boiler without sending power to the heating element (prevents damage upon initial start up).
- Extremely large stainless steel drip tray which can be easily (slides out with pull of handle) removed for cleaning.
- Rotary vane pump provides quicker ramp up pressure at start of espresso extraction and is quieter than vibration pumps
- Accessories: Single spout portafilter, single dose filter basket, double spout portafilter, double dose filter basket, blind filter basket , plastic coffee scoop, plastic tamper
- Dimensions: 10.6" W x 21.0" D x 16.5" H.
- Product Safety Listing: UL Commercial for home and office use
- Manufactured in Milan, Italy

*Catalog is for your reference only, but please refer to web site for full equipment specifications, current pricing, and information.

*Prices listed are Net 30 and are subject to change without notification. This price list supersedes all previous pricing.

VIBIEMME DOUBLE DOMOBAR V3.5

manual, double boiler, rotary pump, direct connect or tank

List $3,399 / MAP $2,695

- Heavy duty true Vibiemme E61 group head maintains active flow of water from the group head to the heat exchanger in the boiler
- Professional grade brass portafilters - one portafilter with single spout and single filter basket and one portafilter with dual spout and double filter basket
- Coffee boiler capacity/material: 0.5 liter copper boiler
- Steam boiler capacity/material: 1.9 liter copper boiler
- Boiler pressure gauge to indicate steam boiler pressure. The setting can be varied by adjusting the pressurstat
- Pump pressure gauge to indicate brew pressure during espresso extraction (reading will vary while not extracting)
- Heating light on left side indicates when espresso machine is heating Low water level light in middle indicates when water level in water reservoir in rear is low
- Three stage power switch allows user to operate espresso machine with coffee boiler only, with steam boiler only, OR with both boilers simultaneously (awaiting confirmation once shipment arrives)
- Extremely large stainless steel drip tray which can be easily (slides out with pull of handle) removed for cleaning. Grate stays on machine when pulling out drip tray so that it is one step removal to empty.
- Rotary vane pump and commercial-grade motor is quieter than a vibration pump, but it is more expensive to replace. hence, descaling is important
- Accessories: Single spout portafilter, single dose filter basket, double spout portafilter, double dose filter basket, blind filter basket, plastic coffee scoop, plastic tamper
- Direct Connect Kit Included: stainless steel water line hose (approx 1 meter), fittings to convert drip tray to plumbed drain mode, drain hose (approx 1 meter)
- Water reservoir capacity: 76 ounces / 2.25 liters
- Dimensions: 10.6" W x 21.0" D x 16.5" H (approximate)
- Product Safety Listing: UL Commercial for home and office use (please note that NSF approvals have not been applied on this model for use in coffee shops, restaurants, and other food service establishments.
- Electrical: 110 volts only, 1600 watts (regulated between both boilers), 15 amp maximum needed
- Shipping weight: ~70 pounds
- Manufactured in Milan, Italy

*Catalog is for your reference only, but please refer to web site for full equipment specifications, current pricing, and information.

*Prices listed are Net 30 and are subject to change without notification. This price list supersedes all previous pricing.

Ascaso Arc V-2 Black & Inox

List $472 / MAP $429

Specifications:

- Measurements: 8.5" W x 12.5" H x 12.25" D. Width with steam wand out: 10". Depth with portafilter on machine: 14.75"
- Tamper size: 57mm
- Water tank: 2.0 liters
- Bodywork: Enamel painted Steel
- Machine weight: 15.6 lbs.
- Voltage: 120V
- Power: 1000 watts
- Pump Pressure: 16 bar
- Coffee thermostat: Boiler 100º / Thermoblock 95º
- Steam thermostat 140º+ Safety Thermofuse
- Steam pipe protector / Cappuccino/hot water pipe
- Brass portafilter holder: 57mm
- Warranty: Two years parts and labor limited to manufacturer's defect. Three years warranty on group head part only limited to manufacturers defect.
- Manufactured in Barcelona, Spain

*Catalog is for your reference only, but please refer to web site for full equipment specifications, current pricing, and information.

*Prices listed are Net 30 and are subject to change without notification. This price list supersedes all previous pricing.

ASCASO BASIC BLACK V20

List $373 / MAP $339

Specifications:

- Measurements: 8.5" W x 12.5" H x 12.25" D. Width with steam wand out: 10". Depth with portafilter on machine: 14.75"
- Tamper size: 57mm
- Water tank: 2.0 liters
- Bodywork: Enamel painted Steel
- Machine :15.6 lbs.
- Voltage: 120V
- Power: 1000 watts
- Pump Pressure: 16 bar
- Coffee thermostat: Boiler 100º / Thermoblock 95º
- Steam thermostat 140º+ Safety Thermofuse
- Steam pipe protector / Cappuccino/hot water pipe
- Brass portafilter holder: 57mm
- Three prong plug
- Warranty: Two years parts and labor limited to manufacturer's defect. Three years warranty on group head part only limited to manufacturers defect.
- Manufactured in Barcelona, Spain

*Catalog is for your reference only, but please refer to web site for full equipment specifications, current pricing, and information.

*Prices listed are Net 30 and are subject to change without notification. This price list supersedes all previous pricing.

ascaso
for coffee lovers

ASCASO DREAM UP V-2.0

List $759 / MAP $699

Specifications:

- Measurements: 9.6" W x 13.6" H x 11" D
- Tamper size: 57mm
- Water tank: 1.3 liters
- Bodywork: Polished Aluminum (colored versions have enamel paint)
- Machine weight with portafilter on: 16.0 lbs.
- Dimensional Shipping Weight: 42 lbs.
- Voltage: 120V
- Power: 1000W
- Pump Pressure: 16 bar
- Coffee thermostat: Boiler 100º / Thermoblock 95º
- Steam thermostat 140º+ Safety Thermofuse
- Steam pipe protector / Cappuccino/hot water pipe
- Brass portafilter holder: 57mm
- Available in red (shown) anthracite grey, pink, chocolate, white, black, pistachio, violet, kid blue, mandarin orange, meadow green, mediterranean blue, strawberry gum, yellow and sweet cream.
- Manufactured in Barcelona, Spain

*Catalog is for your reference only, but please refer to web site for full equipment specifications, current pricing, and information.

*Prices listed are Net 30 and are subject to change without notification. This price list supersedes all previous pricing.

ASCASO DREAM UP V-2.0

“Love Is In The Air”

List $859 / MAP $759

Specifications:

- Measurements: 9.6" W x 13.6" H x 11" D
- Tamper size: 57mm
- Water tank: 1.3 liters
- Bodywork: Polished Aluminum (colored versions have enamel paint)
- Machine weight with portafilter on: 16.0 lbs.
- Dimensional Shipping Weight: 42 lbs.
- Voltage: 120V
- Power: 1000W
- Pump Pressure: 16 bar
- Coffee thermostat: Boiler 100º / Thermoblock 95º
- Steam thermostat 140º+ Safety Thermofuse
- Steam pipe protector / Cappuccino/hot water pipe
- Brass portafilter holder: 57mm
- Manufactured in Barcelona, Spain

*Catalog is for your reference only, but please refer to web site for full equipment specifications, current pricing, and information.

*Prices listed are Net 30 and are subject to change without notification. This price list supersedes all previous pricing.

ASCASO DREAM UP V-2.0

"The Cow"

List $859 / MAP $759

Specifications:

- Measurements: 9.6" W x 13.6" H x 11" D
- Tamper size: 57mm
- Water tank: 1.3 liters
- Bodywork: Polished Aluminum (colored versions have enamel paint)
- Machine weight with portafilter on: 16.0 lbs.
- Dimensional Shipping Weight: 42 lbs.
- Voltage: 120V
- Power: 1000W
- Pump Pressure: 16 bar
- Coffee thermostat: Boiler 100º / Thermoblock 95º
- Steam thermostat 140º+ Safety Thermofuse
- Steam pipe protector / Cappuccino/hot water pipe
- Brass portafilter holder: 57mm
- Manufactured in Barcelona, Spain

*Catalog is for your reference only, but please refer to web site for full equipment specifications, current pricing, and information.

*Prices listed are Net 30 and are subject to change without notification. This price list supersedes all previous pricing.

ASCASO STEEL UNO PROFESSIONAL PID V-2.0

List $929 / MAP $849

Specifications:

- Measurements: ~11" W (including steam knob) or ~14" with steam wand extended out to side by ~14.0" H (including rail) in rear and ~15" H in front (including rail) by ~11.5" D from back panel to front of inserted drip tray and ~16.5 from back to tip of portafilter handle".
- Water tank: 2 liters.
- Body: Brushed stainless steel.
- Recommended tamper size: 58mm.
- Weight: ~28.5 lbs.
- Voltage: 120 volts
- Power: 1000 watts
- Pump Pressure: up to 16 bar (only 9 bar is needed to make espresso).
- PID boiler temperature controller in coffee mode. Steam thermostat controls steam temperature
- Accessories Included: filter handle with dual spouts, single cup filter basket, double cup filter basket, solid aluminum tamper (57mm), pod filter basket instruction manual and quick start guide.
- Manufactured in Barcelona, Spain

*Catalog is for your reference only, but please refer to web site for full equipment specifications, current pricing, and information.

*Prices listed are Net 30 and are subject to change without notification. This price list supersedes all previous pricing.

ASCASO STEEL UNO PROFESSIONAL V-2.0

List $709 / MAP $649

Specifications:

- Measurements: ~11" W (including steam knob) or ~14" with steam wand extended out to side by ~14.0" H (including rail) in rear and ~15" H in front (including rail) by ~11.5" D from back panel to front of inserted drip tray and ~16.5 from back to tip of portafilter handle".
- Water tank: 2 liters.
- Body: Brushed stainless steel.
- Recommended tamper size: 58mm.
- Weight: ~28.5 lbs including accessories
- Voltage: 120 volts
- Power: 1000 watts
- Pump Pressure: up to 16 bar (only 9 bar is needed to make espresso).
- Temperature controlled with coffee thermostat and steam thermostat placed on boiler wall
- Accessories Included: filter handle with dual spouts, single cup filter basket, double cup filter basket, aluminum tamper (57mm), pod filter basket, instruction manual, and quick start guide.
- Made in Barcelona, Spain

*Catalog is for your reference only, but please refer to web site for full equipment specifications, current pricing, and information.

*Prices listed are Net 30 and are subject to change without notification. This price list supersedes all previous pricing.

ASCASO STEEL UNO SPECIAL EDITION

List $654 / MAP $599

Specifications:

- Measurements: 10 1/2" W x 14 1/4" H x 12 3/8" D.
- Water tank: 2 liters.
- Bodywork: Brushed Inox Steel.
- Recommended tamper size: 57mm
- Shipping weight 36 lbs.
- Voltage: 120V.
- Power: 1200W.
- Pump Pressure: up to 16 bar (only 9 bar is needed to make espresso).
- Coffee thermostat: 100º.
- Steam thermostat 140º.
- Steam pipe protector so one does not burn his/her fingers when touching the steam wand.
- Coffee solenoid: no drip.
- Accessories Included: filter handle with dual spouts, single cup 57mm filter basket, double cup 57mm filter basket, plastic tamper (57mm), 53/57mm Ascaso Aluminum Tamper, frothing aid attachment, single hole steam tip attachment, pod filter basket, instruction manual, Ascaso Descaler/Cleaner Packet, and quick start guide.
- Manufactured in Barcelona, Spain

*Catalog is for your reference only, but please refer to web site for full equipment specifications, current pricing, and information.
*Prices listed are Net 30 and are subject to change without notification. This price list supersedes all previous pricing.

ascaso
for coffee lovers

"Retail Store Only"

ASCASO STEEL UNO PROFESSIONAL Mirrored S/S

List $709 / MAP $649

Specifications:

- Measurements: ~11" W (including steam knob) or ~14" with steam wand extended out to side by ~14.0" H (including rail) in rear and ~15" H in front (including rail) by ~11.5" D from back panel to front of inserted drip tray and ~16.5 from back to tip of portafilter handle".
- Water tank: 2 liters.
- Body: Mirrored stainless steel.
- Recommended tamper size: 58mm.
- Weight: ~28.5 lbs including accessories
- Voltage: 120 volts
- Power: 1000 watts
- Pump Pressure: up to 16 bar (only 9 bar is needed to make espresso).
- Temperature controlled with coffee thermostat and steam thermostat placed on boiler wall
- Accessories Included: filter handle with dual spouts, single cup filter basket, double cup filter basket, aluminum tamper (57mm), pod filter basket, instruction manual, and quick start guide.
- Made in Barcelona, Spain

*Catalog is for your reference only, but please refer to web site for full equipment specifications, current pricing, and information.

*Prices listed are Net 30 and are subject to change without notification. This price list supersedes all previous pricing.

ASCASO GRINDERS

I-1 Grinder Polished Aluminum - Flat Burr, Doserless

List $399 / MAP $364

- Motor Power: 250 W
- RPM: 700 rpm
- Blades: 54 mm
- Volts: 120 V
- Housing Material: Aluminum
- Hopper Capacity: 600 g
- Ground Coffee Capacity: 125 g (for 1-1D model)
- Weight: 9.3 lbs.
- Measurements: 16.25" H x 6.4" W x 10.5" D
- Production: 11 lbs/hr

I-1D Grinder Dark Black - Flat Burr, Doser

List $353 / MAP $324

- Motor Power: 250 W.
- RPM: 700 rpm.
- Blades: 54 mm.
- Volts: 120 V.
- Housing Material: Aluminum.
- Hopper Capacity: 600 g.
- Ground Coffee Capacity: 125 g (for 1-1D model).
- Weight: 9.3 lbs.
- Measurements: 16.25" H x 6.4" W x 10.5" D.
- Production: 11 lbs/hr.

I-1D Grinder Polished Aluminum - Flat Burr, Doser

List $399 / MAP $364

- Motor Power: 250 W
- RPM: 700 rpm
- Blades: 54 mm
- Volts: 120 V
- Housing Material: Aluminum
- Hopper Capacity: 600 g
- Ground Coffee Capacity: 125 g (for 1-1D model)
- Weight: 9.3 lbs.
- Measurements: 16.25" H x 6.4" W x 10.5" D
- Production: 11 lbs/hr

*Catalog is for your reference only, but please refer to web site for full equipment specifications, current pricing, and information.

*Prices listed are Net 30 and are subject to change without notification. This price list supersedes all previous pricing.

ascaso
for coffee lovers

ASCASO GRINDERS

I-2 Grinder Dark Black - Conical Burr, Doserless

List $344 / MAP $314

- Motor Power: 250 W
- RPM: 700 rpm
- Blades: 54 mm
- Volts: 120 V
- Hopper Capacity: 600 g
- Ground Coffee Capacity: 125 g (for 1-1D model)
- Weight: 9.3 lbs.
- Measurements: 16.25" H x 6.4" W x 10.5" D
- Production: 11 lbs/hr

I-2 Grinder Polished Aluminum - Conical Burr, Doserless

List $333 / MAP $304

- Motor Power: 250 W
- RPM: 700 rpm
- Blades: 54 mm
- Volts: 120 V
- Hopper Capacity: 600 g
- Ground Coffee Capacity: 125 g (for 1-1D model)
- Weight: 9.3 lbs.
- Measurements: 16.25" H x 6.4" W x 10.5" D
- Production: 11 lbs/hr

I-2D Grinder Dark Black - CONICAL BURR, DOSER

List $300 / MAP $274

- Motor Power: 250 W
- RPM: 700 rpm
- Blades: 54 mm
- Volts: 120 V
- Hopper Capacity: 600 g
- Ground Coffee Capacity: 125 g (for 1-1D model)
- Weight: 9.3 lbs.
- Measurements: 16.25" H x 6.4" W x 10.5" D
- Production: 11 lbs/hr

*Catalog is for your reference only, but please refer to web site for full equipment specifications, current pricing, and information.

*Prices listed are Net 30 and are subject to change without notification. This price list supersedes all previous pricing.

ascaso
for coffee lovers

ASCASO GRINDERS

I-1 Grinder Dark Black - FLAT BURR, DOSERLESS

- Motor Power: 250 W
- RPM: 700 rpm
- Blades: 54 mm
- Volts: 120 V
- Hopper Capacity: 600 g
- Ground Coffee Capacity: 125 g (for 1-1D model)
- Weight: 9.3 lbs.
- Measurements: 16.25" H x 6.4" W x 10.5" D
- Production: 11 lbs/hr

List $289 / MAP $264

I-2D Grinder Polished Aluminum - CONICAL BURR, DOSER

- Motor Power: 250 W
- RPM: 700 rpm
- Blades: 54 mm
- Volts: 120 V
- Housing Material: Aluminum
- Hopper Capacity: 600 g
- Ground Coffee Capacity: 125 g (for 1-1D model)
- Weight: 9.3 lbs.
- Measurements: 16.25" H x 6.4" W x 10.5" D
- Production: 11 lbs/hr

List $344 / MAP $314

I-Mini Espresso Grinder - Cloud White, CONICAL BURR, DOSERLESS

- Measurements: 12.2" H x 4.9" W x 8.9" D
- Weight: 8 pounds.
- Power: 140 watts, 120 volts.
- Grinding speed: 1200 rpm.
- Conical burr size: 38 mm.
- Body material: ABS plastic.
- Hopper capacity: 250 grams.

List $264 / MAP $244

*Catalog is for your reference only, but please refer to web site for full equipment specifications, current pricing, and information.
*Prices listed are Net 30 and are subject to change without notification. This price list supersedes all previous pricing.

ascaso
for coffee lovers

ASCASO GRINDERS

I-Mini Espresso Grinder - Dark Black, Conical Burr, Doserless

- Measurements: 12.2" H x 4.9" W x 8.9" D.
- Weight: 8 pounds.
- Power: 140 watts, 120 volts.
- Grinding speed: 1200 rpm.
- Conical burr size: 38 mm.
- Body material: ABS plastic.
- Hopper capacity: 250 grams

List $264 / MAP $244

I-Mini Grinder - Dark Black - Conical Burr, Doserless

- Motor Power: 140W
- RPM: 1200rpm
- Conical burr size: 38mm
- Volts: 120V
- Housing Material: Aluminum
- Hopper Capacity: 250 g
- Weight: 7.7 lbs.
- Measurements: 12.2" H x 4.9" W x 8.9" D

List $289 / MAP $264

I-Mini Grinder - Polished Aluminum - Conical Burr, Doserless

- Motor Power: 140W
- RPM: 1200rpm
- Conical Burr Size: 38mm
- Volts: 120V
- Housing Material: Aluminum
- Hopper Capacity: 250 g
- Weight: 7.7 lbs.
- Measurements: 12.2" H x 4.9" W x 8.9" D

List $333 / MAP $304

*Catalog is for your reference only, but please refer to web site for full equipment specifications, current pricing, and information.
*Prices listed are Net 30 and are subject to change without notification. This price list supersedes all previous pricing.

ASCASO GRINDERS

i-Steel I-1 Grinder Flat Burr, Doserless

List $386 / MAP $354

- Motor Power: 140 W
- RPM: 1200 rpm
- Blade Diameter: 54 mm
- Volts: 120 V
- Housing Material: Brushed Stainless Steel
- Hopper Capacity: 600 g
- Ground Coffee Capacity: 125 g (for I-2D model)
- Weight: 7.7 lbs.
- Measurements: 16.25" H x 6.4" W x 10.5" D
- Production: 6.6 lbs/hr

i-Steel I-2 grinder Conical Burr, Doserless

List $333 / MAP $304

- Motor Power: 140 W
- RPM: 1200 rpm
- Conical: 38 mm
- Volts: 120 V
- Housing Material: Brushed Stainless Steel
- Hopper Capacity: 600 g
- Ground Coffee Capacity: 125 g (for I-2D model)
- Weight: 7.7 lbs.
- Measurements: 16.25" H x 6.4" W x 10.5" D
- Production: 6.6 lbs/hr

*Catalog is for your reference only, but please refer to web site for full equipment specifications, current pricing, and information.

*Prices listed are Net 30 and are subject to change without notification. This price list supersedes all previous pricing.

Elektra A1 Copper and Brass Mini Verticale

List $2,499 / MAP $3,012

Overview:

The Copper and Brass Mini Verticale is a gorgeous looking machine that shows beauty in the beholder! Standing at 27" in height, this gleaming beauty can make espresso as good as she looks. The dual purpose, brass boiler can extract quality espresso in 'coffee' mode, and the brass boiler can provide adequate steaming capability for making cappuccino and latte beverages. As with any espresso machine, practice to espresso extraction and frothing are essential!

The power and coffee push buttons are on the left hand side, while the button to go to steam mode is on the right hand side. Once warmed up to steam mode, the steam knob on the right hand side can be turned to open the steam valve and allow steam to exit the steam wand for frothing/steaming milk.

Features:

- Removable drip tray and cover.
- Three way solenoid valve allows quick removal of portafilter after espresso extraction.
- Water reservoir can be removed by removing holding screw attached to bracket and reservoir.
- Finish: Copper body panels and Brass dome/base with clear coat finish only needs to be wiped with a damp terry cloth.
- Accessories: One portafilter with bakelite handle and two spouts, one cup filter basket, two cup filter basket, plastic tamper, and plastic scoop.

Specifications:

- Measurements: 27" H x 15" W x 15" D (base included as required for cord).
- Power: 1000 watts 110 volts 60 Hertz.
- Weight: 28.6 pounds.
- Water reservoir capacity: 2 liters

*Catalog is for your reference only, but please refer to web site for full equipment specifications, current pricing, and information.

*Prices listed are Net 30 and are subject to change without notification. This price list supersedes all previous pricing.

Elektra A1C Chrome Mini Verticale

List $2,499 / MAP $3,012

Overview:

The Chrome Mini Verticale is a gorgeous looking machine that shows beauty in the beholder! Standing at 27" in height, this gleaming beauty can make espresso as good as she looks. The dual purpose, brass boiler can extract quality espresso in 'coffee' mode, and the brass boiler can provide adequate steaming capability for making cappuccino and latte beverages. As with any espresso machine, practice to espresso extraction and frothing are essential!

The power and coffee push buttons are on the left hand side, while the button to go to steam mode is on the right hand side. Once warmed up to steam mode, the steam knob on the right hand side can be turned to open the steam valve and allow steam to exit the steam wand for frothing/steaming milk.

Features:

- Removable drip tray and cover.
- Three way solenoid valve allows quick removal of portafilter after espresso extraction.
- Water reservoir can be removed by removing holding screw attached to bracket and reservoir.
- Finish: Chrome plating with clear coat finish only needs to be wiped with a damp terry cloth.
- Accessories: One portafilter with bakelite handle and two spouts, one cup filter basket, two cup filter basket, plastic tamper, and plastic scoop.

Specifications:

- Measurements: 27" H x 15" W x 15" D (base included as required for cord).
- Power: 1000 watts 110 volts 60 Hertz.
- Weight: 28.6 pounds.
- Water reservoir capacity: 2 liters

*Catalog is for your reference only, but please refer to web site for full equipment specifications, current pricing, and information.

*Prices listed are Net 30 and are subject to change without notification. This price list supersedes all previous pricing.

Elektra Micro Casa ART.S1 Copper & Brass

List $1,729 / MAP $1,549

Overview:

If you want exceptional espresso and an espresso machine that makes minimal noise in the morning, then you found the perfect machine - the Elektra lever espresso machine. Although some people will contest that it is more difficult to make espresso with these lever machines, this is really not the case because the spring in the piston makes consistent pump pressure at each point from one pull to the next. Once again, for exceptional espresso, choose Elektra!

Specifications:

- Power: 110 volts only, 60 Hz, 15 Amp.
- Boiler capacity: 61 ounce (1.8 liters) approximate.
- Measurements: 19" H x 10" W x 10" D (49cm H x 26cm W x 26cm D).
- Weight: 22 lbs.
- Filter basket size: 49-50mm.
- Manufactured in Treviso, Italy.

Features:

- **Beautiful copper and brass finish combination.**
- Our units have the eagle with wings UP!
- **Wooden** handles.
- Brass eagle situated on dome.
- Large, round base (10" diameter).
- Water level sight glass indicates level of water in boiler.
- Pressure gauge shows steam pressure in boiler and needle in green zone indicates optimal time to extract espresso.
- Spring piston-operated - lever starts in upward position, the user pulls down against spring until coffee fills bottom of demitasse cup, then lever is slowly released and the spring in the piston pushes the lever to pump the water through the coffee grinds. If making double, it is important to pull lever down a second time at the half way point and released.
- Piston group head.
- Only assembly required is the attachment of the steam wand.
- Boiler pressure relief valve on top of boiler for safety.
- Durable brass boiler that provides exceptionally dry steam for creating micro foam.
- Armor-plated, 800 watt heating element.
- Internal pressure regulator automatically regulates the temperature.
- Built-in safety thermostat prevents meltdown if left without water - please note that you can still damage the heating element if the machine is run dry (without water).
- This machine is for home use only.

*Catalog is for your reference only, but please refer to web site for full equipment specifications, current pricing, and information.

*Prices listed are Net 30 and are subject to change without notification. This price list supersedes all previous pricing.

Elektra Micro Casa ART.S1C Chrome

List $1,729 / MAP $1,549

Overview:

If you want exceptional espresso and an espresso machine that makes minimal noise in the morning, then you found the perfect machine - the Elektra lever espresso machine. Although some people will contest that it is more difficult to make espresso with these lever machines, this is really not the case because the spring in the piston makes consistent pump pressure at each point from one pull to the next. Once again, for exceptional espresso, choose Elektra!

Specifications:

- Power: 110 volts only, 60 Hz, 15 Amp.
- Boiler capacity: 61 ounce (1.8 liters) approximate.
- Measurements: 19" H x 10" W x 10" D (49cm H x 26cm W x 26cm D).
- Weight: 22 lbs.
- Filter basket size: 49-50mm.
- Manufactured in Treviso, Italy.

Features:

- **Beautiful chrome finish.**
- Our units have the eagle with wings UP!
- **Bakelite** handles.
- Chromed-brass eagle situated on dome.
- Large, round base (10" diameter).
- Water level sight glass indicates level of water in boiler.
- Pressure gauge shows steam pressure in boiler and needle in green zone indicates optimal time to extract espresso.
- Spring piston-operated - lever starts in upward position, the user pulls down against spring until coffee fills bottom of demi-tasse cup, then lever is slowly released and the spring in the piston pushes the lever to pump the water through the coffee grinds. If making double, it is important to pull lever down a second time at the half way point and released.
- Piston group head.
- Only assembly required is the attachment of the steam wand.
- Boiler pressure relief valve on top of boiler for safety.
- Durable brass boiler that provides exceptionally dry steam for creating micro foam.
- Armour-plated, 800 watt heating element.
- Internal pressure regulator automatically regulates the temperature.
- Built-in safety thermostat prevents meltdown if left without water - please note that you can still damage the heating element if the machine is run dry (without water).
- This machine is for home use only.

*Catalog is for your reference only, but please refer to web site for full equipment specifications, current pricing, and information.

*Prices listed are Net 30 and are subject to change without notification. This price list supersedes all previous pricing.

Elektra Micro Casa ART.S1CO Chrome and Brass

List $1,729 / MAP $1,549

Overview:

If you want exceptional espresso and an espresso machine that makes minimal noise in the morning, then you found the perfect machine - the Elektra lever espresso machine. Although some people will contest that it is more difficult to make espresso with these lever machines, this is really not the case because the spring in the piston makes consistent pump pressure at each point from one pull to the next. Once again, for exceptional espresso, choose Elektra!

Specifications:

- Power: 110 volts only, 60 Hz, 15 Amp.
- Boiler capacity: 61 ounce (1.8 liters) approximate.
- Measurements: 19" H x 10" W x 10" D (49cm H x 26cm W x 26cm D).
- Weight: 22 lbs.
- Filter basket size: 49-50mm.
- Manufactured in Treviso, Italy.

Features:

- **Beautiful chrome and brass finish combination.**
- Our units have the eagle with wings UP!
- **Bakelite** handles.
- Brass eagle situated on dome.
- Large, round base (10" diameter).
- Water level sight glass indicates level of water in boiler.
- Pressure gauge shows steam pressure in boiler and needle in green zone indicates optimal time to extract espresso.
- Spring piston-operated - lever starts in upward position, the user pulls down against spring until coffee fills bottom of demi-tasse cup, then lever is slowly released and the spring in the piston pushes the lever to pump the water through the coffee grinds. If making double, it is important to pull lever down a second time at the half way point and released.
- Piston group head.
- Only assembly required is the attachment of the steam wand.
- Boiler pressure relief valve on top of boiler for safety.
- Durable brass boiler that provides exceptionally dry steam for creating micro foam.
- Armor-plated, 800 watt heating element.
- Internal pressure regulator automatically regulates the temperature.
- Built-in safety thermostat prevents meltdown if left without water - please note that you can still damage the heating element if the machine is run dry (without water).
- This machine is for home use only.

*Catalog is for your reference only, but please refer to web site for full equipment specifications, current pricing, and information.

*Prices listed are Net 30 and are subject to change without notification. This price list supersedes all previous pricing.

Elektra MicroCasa Semi Automatic ART.SX Copper & Brass

List $2,599 / MAP $1,999

Specifications:

- Power: 110 volts only, 60 Hz, 15 Amp
- Boiler Capacity: 67 ounce (2.0 liters) approximate
- Measurements: 23" H x 10" W x 10" D (58cm H x 26cm W x 26cm D)
- Filter basket size: 58mm
- Manufactured in Treviso, Italy

Features:

- Bakelite handle on portafilter - wooden handle, as shown, is no longer available on this model
- Three red switches - power, coffee brew, & boiler refill
- Brass eagle situated on dome with wings up
- Large, round base with 10" diameter for stability of unit on countertop
- Water level sight glass with pressure gauge
- Pump-operated to deliver water to group head and to refill boiler
- **Heat exchanger system with proper temperature to extract the most flavorful espresso beverages!!!**
- Only assembly required is the attachment of the steam wand
- Manual water refill switch for boiler
- Boiler pressure relief valve for safety
- Durable brass boiler that provides very dry steam for frothing milk
- Extended steam wand away from boiler
- **Twist knob-controlled steam valve for quick turn ons and offs!**
- Three way solenoid valve to relieve pressure in group head when finished extracting espresso to avoid "espresso explosion" when removing the portafilter handle
- Top loading water basin for easy refill and for continuous water delivery (manual switch by operator) so machine does not have to be shut down like hand lever models
- Armour-plated, 800 watt heating element
- Automatic pressure/temperature regulator

*Catalog is for your reference only, but please refer to web site for full equipment specifications, current pricing, and information.

*Prices listed are Net 30 and are subject to change without notification. This price list supersedes all previous pricing.

Elektra MicroCasa SemiAutomatic
ART.SXC Chrome

List $2,599 / MAP $1,999

Specifications:

- Power: 110 volts only, 60 Hz, 15 Amp
- Boiler Capacity: 67 ounce (2.0 liters) approximate
- Measurements: 23" H x 10" W x 10" D (58cm H x 26cm W x 26cm D)
- Filter basket size: 58mm
- Manufactured in Treviso, Italy

Features:

- Bakelite handle on portafilter - wooden handle, as shown, is no longer available on this model
- Three red switches - power, coffee brew, & boiler refill
- Brass eagle situated on dome with wings up
- Large, round base with 10" diameter for stability of unit on countertop
- Water level sight glass with pressure gauge
- Pump-operated to deliver water to group head and to refill boiler
- Heat exchanger system with proper temperature to extract the most flavorful espresso beverages!!!
- Only assembly required is the attachment of the steam wand
- Manual water refill switch for boiler
- Boiler pressure relief valve for safety
- Durable brass boiler that provides very dry steam for frothing milk
- Extended steam wand away from boiler
- Twist knob-controlled steam valve
- Three way solenoid valve to relieve pressure in group head when finished extracting espresso to avoid "espresso explosion" when removing the portafilter handle
- Top loading water basin for easy refill and for continuous water delivery (manual switch by operator) so machine does not have to be shut down like hand lever models
- Armour-plated, 800 watt heating element
- Automatic pressure/temperature regulator

*Catalog is for your reference only, but please refer to web site for full equipment specifications, current pricing, and information.

*Prices listed are Net 30 and are subject to change without notification. This price list supersedes all previous pricing.

Elektra Model ART.T1 Sixities Chrome Commercial

List $4,995 / MAP $3,995

Specifications:

- Approximate Measurements: 18.5" H x 14" W x 20" D without portafilter
- Weight: 83 pounds shipped via freight truck to curbside only - sorry, inside delivery is not available.
- Power requirements: 2200 watts 20 amps dedicated 110 volts
- Boiler Capacity: 5.5 liters
- Group head: Single group head made of brass
- Manufactured in Treviso, Italy

Features:

- Commercial-grade steel frame
- Incorporated motor and positive (rotary vane) displacement pump with vibration-damping fastening
- Electronic level control system monitors water level in the boiler to make sure the heating element is submerged in water.
- Patented heat exchanger
- Filter in the group head removes any large contaminants that may have passed through a broken filter on the water line.
- Elektra trademark on back of machine made of anodized aluminum
- Dual-acting, high-precision gauge shows both pump water pressure and boiler steam pressure (without a water softener, this will be one of the first parts to fail due to lime scale which is not covered under our parts warranty)
- Heating element with built-in safety thermostat for additional protection - if the machine has power, but there is no water available from the plumbed cold water lline, the machine can be damaged at the heating element or pump)
- Electronic motherboard positioned in cool area and is protected against humidity
- Plastic bakelite handle on portafilter, pull lever, and valve controls
- Accessories: 1-cup and 2-cup filter baskets, single spout and double spout portafilter, instructions, and stainless steel braided hose for direct water connection

*Catalog is for your reference only, but please refer to web site for full equipment specifications, current pricing, and information.

*Prices listed are Net 30 and are subject to change without notification. This price list supersedes all previous pricing.

MACAP GRINDERS

M2C83 Doser Stepped Chrome

List $499 / MAP $459

Features:

- Stepped grinding regulation.
- Height-adjustable filter holder.
- Adjustable dose.

Specifications:

- Measurements: 15.1" H x 6" W x 9.9" D .
- Net weight: 11.5 pounds (5.2 kilograms).
- Power: 150 watts, 110 volts, 60 hertz.
- Flat grinding blade diameter: 50mm.
- Coffee beans hopper capacity: 0.55 pounds (250 grams).
- Ground coffee doser capacity: 0.4 pounds (180 grams).

M2DC83 Doserless Stepped Programmable Chrome

List $716 / MAP $539

Features:

- Stepped grinding regulation.
- Height-adjustable filter holder.
  One programmable dose.

Specifications:

- Measurements: 15.1" H x 6" W x 9.9"
  Height from counter top to bottom of chute: 5" (12.7 cm).
- Net weight: 10.4 pounds (4.7 kilograms).
- Power: 150 watts, 110 volts, 60 hertz.
- Flat grinding blade diameter: 50mm.
- Coffee beans hopper capacity: 0.55 pounds (250 grams).

M2MC83 Commercial - Doserless, Chrome, Stepped, Manual

List $628 / MAP $475

Features:

- Stepped grinding regulation.
  Height-adjustable filter holder.

Specifications:

- Measurements: 15.1" H x 6" W x 9.9" D
- Height from counter top to bottom of chute: 5" (12.7 cm).
- Net weight: 10.4 pounds (4.7 kilograms).
- Power: 150 watts, 110 volts, 60 hertz.
- Flat grinding blade diameter: 50mm.
- Coffee beans hopper capacity: 0.55 pounds (250 grams).

*Catalog is for your reference only, but please refer to web site for full equipment specifications, current pricing, and information.

*Prices listed are Net 30 and are subject to change without notification. This price list supersedes all previous pricing.